

Material Safety Data Sheet PROFORM DUAL LAMINATE, E-GASKET, ASD BASE Page 1 of 4

Section 1 – Identification

Product Name: Proform Dual Laminate, E-Manufacturer: KEYSTONE INDUSTRIES 52 King Street Myerstown, PA 17067 Gasket, ASD Base Chemical Name / Information Contacts: (856)-663-4700 Vinyl Synonyms: Emergency Phone Numbers: US & Canada (800) 535 - 5053 Family: Rigid Vinyl **EU Address: KEYSTONE EUROPE LLC. Product Use: Vacuum Form Material** Batavenweg 7 5349BC OSS, Netherlands Product #: Various **Emergency Phone Numbers:** International: 1-352-323-3500

Section 2 – Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- Material is not considered hazardous by OSHA per 29 CFR 1910
- Molten Resin cause severe thermal burns.
- Improper use can lead to mechanical cuts.

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry	Inhalation, skin, and ingestion.
Eye	N/A
Skin	Prolong contact is essentially non-irritating to skin. There can be mechanical injury, if impacted with skin. Under normal processing conditions, material is heated to elevated temperatures; contact with the material can cause thermal burns. No adverse effects anticipated by skin absorption.
Ingestion	If un-formed material becomes lodged in subject's mouth, do not swallow, spit it out.
Inhalation	Inhalation of dust may cause respiratory irritation. Fumes produced during thermal process may cause
	irritation.
NOTE: Refer to Section 1	1, Toxicological Information for Details

Section 3 – Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Non-hazardous							
N/E – None Established	N/DA – No Data Avai	lable					
N/R - Not Reviewed	N/A – Not Applicable						

(items in parenthesis relate to 1999/45/EC)

See Section 16 for Hazard and Precautionary Statement Key. Section 4 – First Aid Measures

Solid Product is neither an irritant nor gives off hazardous vapours at ambient temperatures

			C · · · · · · · · · · · · · · · · · · ·
First Aid for Eve	This material is non-irritating upon contact,	excent upon impact as an	v toreign narticle in the eve
	This material is non mitating apon contact,		

First Aid for SkinNot a hazard at ambient conditions. Washing hands is preferable after use. Contact with heated
material may cause thermal burns. Do not attempt to remove material from skin. Cool rapidly with
cold water. Obtain medical treatment. Treatment as any normal thermal burn.First Aid for IngestionDo not swallow. Material is not expected to cause an ingestion problem.

First Aid for Inhalation N/A

Section 5 – Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A



Material Safety Data Sheet PROFORM DUAL LAMINATE, E-GASKET, ASD BASE Page 2 of 4

Method:	
Extinguishing Media:	Suitable extinguishing media for the surrounding fire should be used.
Fire Fighting	Vinyl film is self extinguishing; however if burning is supported by another source of material,
Instructions:	hydrogen chloride gas will be emitted
Unusual Hazards:	Use self contained breathing apparatus when fighting fires.

Section 6 – Accidental Release Measures

 Spill or Release
 Minor spills – Clean up immediately. Slipping hazard.

 Procedures
 Major spills – Clear area of personnel. Restrict access to area. Clean up immediately. Slipping hazard.

 See section 8 & section 12.

Section 7 – Handling and Storage

HandlingNo special handling requirements.StorageStore in a cool, dry location away from sparks. Material is hydroscopic, keep away from water & moisture.Explosion HazardNone.

Section 8 – Exposure Controls / Personal Protection

Engineering Controls	No special engineering controlled required.			
Personal Protective	e Equipment			
General	To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product.			
Eye/ Face Protection	Wear safety glasses with side shields. Wear face shield during thermal process.			
Skin Protection	Thermal insulating glove when handling molten product.			
Respiratory Protection	None under ordinary operating use.			

Section 9 – Physical and Chemical Properties

Appeara	nce	Odor & O	dor Threshold	PH		Specifi	ic Gravity	Viscosity	% V	olatile
Clear, Rigid	Sheets	Oc	lorless	N/A	L.	(H2O	= 1): 1.3- 1.4	N/A	N	I/A
Boiling Point/ Freezing Point	Decomposit Temperatu		Octanol/Water titioning Coeffici Log Po/w	ent P	Vapo Pressui		Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/DA		N/DA		N/A		N/A	N/A	N/A	N/A
Flash	Point (°F/°C))	Flamma	able Lir	mit (v	ol%)		Auto-ignition T	emperature	e (vol%)
N/A			N/A					N/A		

Section 10 – Stability and Reactivity

Stability:	Incompatibility (Materials to Avoid):
Stable solid	None
Hazardous Decomposition Products:	Hazardous Polymerization:
Hydrogen chloride gas (HCl)	Will not occur

Conditions to Avoid: Heat, moisture, water

Section 11 – Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation – skin	Irritation – Eye
N/DA	N/DA	N/DA	N/DA	N/ DA



Material Safety Data Sheet PROFORM DUAL LAMINATE, E-GASKET, ASD BASE Page 3 of 4

Sensitization	Mutagenicity	Sub-chronic Toxicity
N/ DA	N/DA	N/ DA

Section 12 – Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA

Chemical Fate Information

Biodegradability N/A. This material is not expected to bioaccumulate.	
Chemical Oxygen Demand	N/ DA

Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14 – Transport Information

Non-regulated, non-hazardous material: DOT, IATA, IMO (IMDG).

Section 15 – Regulatory Information

US Federal Regulations

JS Federal Regulations	
Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS:NONE
Clean Water Act: Priority Pollutant	 This product contains the following chemicals listed under the U. S. Clean Water Act Priority Pollutant and Hazardous Substance List: None
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food-packaging additive.
Occupational Safety and Health Act	This product is considered to be hazardous under the OSHA Hazard Communication Standard. It's hazards are: • None
RCRA	This product contains the following chemicals considered to be hazardous waste under RCRA (40 CFR 261). • None
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous substances.
SARA Title III: Section 302 (TPQ)	This product does not contain chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List).
SARA Title III: Section 311-312:	This product is not considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370).
SARA Title III: Section 313:	 This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: None
TSCA Section 8(b): Inventory:	This product complies with US TSCA requirements.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

State Regulations



Material Safety Data Sheet PROFORM DUAL LAMINATE, E-GASKET, ASD BASE Page 4 of 4


The components to this product are listed on the appropriate applicable state regulations.

International Regulations		
CDSL: Canadian Inventory	All components are listed, where applicable.	
(on Canadian Transitional List)		

Labeling according to EC directives - 1272/2008 {CLP} AND 1999/45/EC (items in parenthesis relate to 1999/45/EC)

European Community:	For Proform Dual Laminate, E-Gasket, ASD Base (finished product):
	• DANGER SYMBOLS: N/A – non hazardous
	• HAZARD STATEMENT: N/A
	PRECAUTIONARY STATEMENT: N/A

Section 16 – Other Information



The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If there are any problems or concerns understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.

Keystone Industries components are provided on an as is basis without warranties of any kind either expressed or implied. Keystone Industries does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Keystone Industries components.