

PROFORM NITEGUARD

Section 1 – Identification

Product Name:	Proform NiteGuard	Manufacturer:	KEYSTONE INDUSTRIES 52 King Street Myerstown, PA 17067
Chemical Name / Synonyms:	Ethylene – Vinyl Copolymer	Information Con	ntacts: (856)-663-4700
		Emergency Pho	ne Numbers: US & Canada (800) 535 - 5053
Family: EVA	oring to form Mouthquarda	EU Address:	KEYSTONE EUROPE LLC.
Product #: 960255	esins to form Mouthguards 50, 9602550R1,		Batavenweg 7 5349BC OSS, Netherlands
9602550R2, 960256	, ,		Emergency Phone Numbers: International: 1-352-323-3500
Section 2 – Hazards	Identification		

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- Material is not considered hazardous by OSHA per 29 CFR 1910.
- This product is combustible and will burn in fire and emit irritating smoke. Dust from this product can form an explosive organic dust cloud. Dusts and heat released air emissions may be irritating to the eyes, skin, and respiratory system.
- Molten Resin cause severe thermal burns.
- Product does not contain latex.

Potential Health Effects, Signs and Symptoms of Exposure:

Finnary Route of Entry	initiation, skin, and ingestion.
Eye	Solid or dust may cause irritation or corneal injury due to mechanical action.
Skin	Prolong contact is essentially non-irritating to skin. There can be mechanical injury, if impacted with
	skin. Under normal processing conditions, material is heated to elevated temperatures; contact with
	the material can cause thermal burns. No adverse effects anticipated by skin absorption.
Ingestion	If un-formed material becomes lodged in subject's mouth, do not swallow, spit it out.
Inhalation	Inhalation of dust may cause respiratory irritation. Fumes produced during thermal process may cause
	irritation.
NOTE Defende Cestion 11	Toxicological Information for Dataila

NOTE: Refer to Section 11, Toxicological Information for Details Section 3 – Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure OSHA	Limits ACGIH	Carcinogen	%
				TWA/STEL	TWA/STEL	IARC/NTP/OSHA	
Ethylene-Vinyl Acetate	24937-78-8	N/E	Ethylene/VA	N/E	N/E	N/E	>99
Copolymer			Copolymer				
N/E - None Established	N/DA – No Data	Available					
N/R - Not Reviewed	N/A - Not Applic	able					

(items in parenthesis relate to 1999/45/EC)

See Section 16 for Hazard and Precautionary Statement Key. Section 4 – First Aid Measures

Solid Product is neither an irritant nor gives off hazardous vapours at ambient temperatures.

First Aid for Eye	This material is non-irritating upon contact, except upon impact as any foreign particle in the eye.
First Aid for Skin	Not a hazard at ambient conditions. Washing hands is preferable after use. Contact with heated material may cause thermal burns. Do not attempt to remove material from skin. Cool rapidly with cold water. Obtain medical treatment. Treatment as any normal thermal burn.
First Aid for Ingestion	Do not swallow. Material is not expected to cause an ingestion problem.
First Aid for Inhalation	N/A



PROFORM NITEGUARD

Section 5 – Fire Fighting Measures

Flash Point (°F/°C)		Flammable Limit (vol%)	Auto-ignition Temperature (vol%)				
500°F/260°C		N/A	N/A				
Method: Cleveland C	Closed Cup						
Method:							
Extinguishing Media:	Suitable extinguishing media for the surrounding fire should be used.						
Fire Fighting	Combustible product that may release, but not limited to, carbon monoxide, carbon dioxide, vinyl						
Instructions:	acetate, and acetic acid.						
Unusual Hazards:	Use self cont	Use self contained breathing apparatus when fighting fires.					

Section 6 – Accidental Release Measures

Spill or Release	Minor spills – Clean up immediately. Slipping hazard.
Procedures	Major spills – Clear area of personnel. Restrict access to area. Clean up immediately. Slipping hazard.
	See section 8 & section 12.

Section 7 – Handling and Storage

Handling	No special handling requirem	nents.
Storage	Store in a cool, dry location.	Avoid sunlight
Explosion Hazard	None.	

Section 8 – Exposure Controls / Personal Protection

Engineering	No special engineering controlled required.
Controls	
Personal Protective	Equipment
General	To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product.
Eye/ Face Protection	Wear safety glasses with side shields. Wear face shield during thermal process.
Skin Protection	Thermal insulating glove when handling molten product.
Respiratory Protection	None under ordinary operating use.

Section 9 – Physical and Chemical Properties

11		Odor Threshold				, v	Viscosity	% Volatile		
		d, ester-like		N/A (1		D = 1): 0.94	N/A	N/A		
Boiling Point/ Freezing Point	Decomposition Temperature Par		Octanol/Water Partitioning Coefficient Log Po/w				Vapor Density	Evaporation Rate	In Wa	Solubility In Water (20°C)
N/A	>446°F/23	0°C	N/DA		N/2	4	N/A	N/A	N/A	Negligible
Flash	Point (°F/°C	!)	Flamm	able	Limit (vol%)		Auto-ignition T	emperature	e (vol%)
500°F/260°C			N/A]	N/A			
Method: Cle	eveland Close	ed Cup								

Section 10 – Stability and Reactivity

Stability:

Stable solid at normal temperature and storage conditions

Incompatibility (Materials to Avoid): Strong acids and oxidizing agents



PROFORM NITEGUARD

Hazardous Decomposition Products:

Carbon monoxide, Organic acids, Aldehydes, Acrolein, Alcohols, nitrogen oxides

Hazardous Polymerization:

Will not occur

Conditions to Avoid: Heat, sunlight

Section 11 – Toxicological Information

Acute Oral Toxicity	Acute Dermal Tox	xicity	Acute Inhalation Toxicity	Irri	tation – skin	Irritation – Eye
N/DA	N/DA		N/DA	No ski	n irritation, rabbit	No eye irritation, rabbit
Sensitiza	ation		Mutagenicity		Sub-c	hronic Toxicity
N/ DA N/D			N/DA			N/ DA

Section 12 – Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA

Chemical Fate Information

Chemical I are miormation	
Biodegradability	N/A. This material is not expected to bioaccumulate.
Chemical Oxygen Demand	N/ DA

Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14 – Transport Information

Non-regulated, non-hazardous material: DOT, IATA, IMO (IMDG).

Section 15 – Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS:
	• NONE
Clean Water Act: Priority	This product contains the following chemicals listed under the U.S. Clean Water Act
Pollutant	Priority Pollutant and Hazardous Substance List:
	• None
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other
	applications as an indirect food-packaging additive.
Occupational Safety and Health	This product is not considered to be hazardous under the OSHA Hazard Communication
Act	Standard. It's hazards are:
	• None
RCRA	This product contains the following chemicals considered to be hazardous waste under
Rent	RCRA (40 CFR 261).
	• None
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous
	substances.



PROFORM NITEGUARD

SARA Title III: Section 302 (TPQ)	This product does not contain chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List).
SARA Title III: Section 311-312:	This product is not considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370).
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: None
TSCA Section 8(b): Inventory:	This product complies with US TSCA requirements.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

State Regulations

The components to this product are listed on the appropriate applicable state regulations.

International Regulations


 International Regulations		
CDSL: Canadian Inventory	All components are listed, where necessary.	
(on Canadian Transitional List)	Ethylene Vinyl Acetate Copolymer not controlled under WHMIS	

Labeling according to EC directives - 1272/2008 {CLP} AND 1999/45/EC (items in parenthesis relate to 1999/45/EC)

European Community:	For Proform NiteGuard (finished product):
	• DANGER SYMBOLS: N/A – non hazardous
	• HAZARD STATEMENT: N/A
	PRECAUTIONARY STATEMENT: N/A

Section 16 – Other Information

Hazard Rating System (Pictograms)



MSDS Prepared by:	WME
Revision History:	03/14/11 Initial
	12/2/2014 Sections 1, 5, 7, 9, 10, 11, and 15 updated

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If there are any problems or concerns understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.

Keystone Industries components are provided on an as is basis without warranties of any kind either expressed or implied. Keystone Industries does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Keystone Industries components.